



BIBLIOGRAFÍA

- KHANDWALA HM, CHIBBAR R, BEDI A: Celiac disease occurring in a patient with hypoparathyroidism and autoimmune thyroid disease. *South.Med.J.*2006; 99:290-292.
- NESMITH J, EILEEN E: Childhood hemolytic uremia síndrome is associated with adolescent-onset diabetes mellitus. *Pediatr.Nephrol.*2007; 22:294-297.
- WESTERHOLM-ORMIO M, VAARALA O, PIHKALA P, et al.: Immunologic activity in the small intestinal mucosa of pediatric patients with type I diabetes. *Diabetes*; 2003; 52: 2287-2295.
- ANTONETTI DA, BARBER AJ, BRONSON SK, et al.: Diabetic retinopathy:seeing beyond glucosa-induced microvascular alterations.*Diabetes.*2006; 55:2401-2411.
- CHASE HP, GARG SK, MARSHALL G, et al.: Cigarette smoking increase the risk of albuminuria among subjects with type I diabetes.*JAMA.*1991; 265:614-617.
- GIRACH A, MANNER D, PORTA M: Diabetic microvascular complications: can patients at risk be identified?:A review.*Int.J.Clin.Prat.*2006; 60:1471-1483.
- HOVIND P, TARNOW L, ROSSING P, et al.: Predictors for the development of microalbuminuria and macroalbuminuria in patients with type I diabetes: inception cohort study. *BMJ*.
- KARGES B, MUCHE R, KNERR I, et al.: Levothyroxine in euthyroid autoimmune tiroiditis and type I diabetes: a randomized, controlled trial. *J.C.E.M.*2007; 92:1647-1652.
- PONTES ANDERSEN CC, FLYVBERG A, BUSCHARD K, HOLMSTRUP P: Periodontitis is associated with aggravation of prediabetes in Zucker Fatty Rats. *J. Periodontol.*2007; 78:559-565.
- THE DIABETES CONTROL AND COMPLICATIONS TRIAL: Long-term effect of Diabetes and its treatment on cognitive function. *N.Engl.J.Med.*2007; 356:1842-1852.
- GUELFY KJ, JONES TW, FOURNIER PA: Intermittent high-intensity exercise does not increase the risk of early postexercise hypoglycemia in individuals with type I diabetes. *Diabetes Care.*2005; 28:416-418.
- GUELFY KJ, JONES TW, FOURNIER PA: The decline in blood glucosa levels is less with intermittent high-intensity compared with moderate exercise in individuals with type I diabetes. *Diabetes Care.*2005; 28:1289-1294.
- THE DIABETES RESEARCH IN CHILDREN NETWORK STUDY GROUP: The effects of aerobic exercise on glucose and counrregulatory hormona concentrations in children with type I diabetes. *Diabetes Care.*2006; 29:20-25.
- THE DIABETES RESEARCH IN CHILDREN NETWORK STUDY GROUP: Prevention of hypoglycemia during exercise in children with type I diabetes by suspending basal insulin. *Diabetes Care.*2006; 29:2200-2204.
- American Diabetes Association: Páncreas and islet cell transplantation in type I diabetes. *Diabetes Care.* 2006; 29:935.
- COUPER JJ, PRIUS JB: Recent advances in therapy of diabetes.*MJA.*2003; 179:441-447.
- VOLTARELLI JC, COURI CEB, STRACIERI ABPL, et al.: Autologous nonmyeloablative hematopoietic stem cell transplantation in newly diagnosed type I diabetes mellitus. *JAMA.* 2007; 297:1568-1600.
- ALBA A, VERDAGUER J, VIVES-PI M: Diabetes mellitus tipo I: autoinmunidad frente a la célula beta. *Endocrinol. Nutr.*2004; 51:121-125.
- BARKER JM, YU J, YU L, et al.: Autoantibody “subspecificity” in type I diabetes. *Diabetes Care.*2005; 28:850-855.
- DAFNE STUDY GROUP: training in flexible, intensive insulin management to enable dietary freedom in people with type I diabetes:dose adjustment for normal eating (DAFNE) randomised controlled trial.*BMJ.*2002; 323:1-6.
- DESPERT F: Auto-immunité au tours du diabète insulinodèpendant. Risques? cadres? quelle surveillance?. *JEP.n° 11.VII.*2006.
- Generalitat de Catalunya. Departament de Salut: Com viure amb la diabetes tipus I. Barcelona. 2004.
- GONDER-FREDERICK L, ZREBIEC J, BAUCHOWITZ A, et al.: Effects of BG on cognitive function in school-aged children with TI DM: a fiel study.*ADA.*Junio 9-12.Washington.2006.
- HABICH M: Establishing a Standard for padiatric inpatient diabetes education.*Pediatr.Nurs.*2006; 32:113-115.



HUMMEL M, BONIFACIO E, SCHMID S, et al.: Early appearance of islet autoantibodies predicts childhood type 1 diabetes in offspring of diabetic parents. *Ann.Int.Med.*2004; 140:882-886.

KARAGUZEL G, STALMIS A, AKCURIN S, BIRCAN I: Comparison of breakfast and bedtime administration of insulin glargine in children and adolescents with type 1 diabetes. *Diabetes.Res.Clin.Pract.*2006;

KURTZHALS P, SCHÄFER L, SORENSEN A, et al.: Correlations of receptor binding and metabolic and mitogenic potencies of insulin analogs designed for clinical use. *Diabetes.*2000; 49:999-1005.

NIMRI R, PHILLIP M, SHALITIN S: Children diagnosed with diabetes during infancy have unique clinical characteristics. *Horm.Res.*2007; 67:263-267.

SEPA A, WAHLBERG J, VAARALA O, et al.: Psychological stress may induce diabetes-related autoimmunity in infancy. *Diabetes Care.*2005; 28:290-295.

SPRINGER D, DZIURA J, TAMBORLANE WV et al.: Optimal control of type 1 diabetes mellitus in youth receiving intensive treatment. *J.Pediatr.*2006; 149:227-232.

UK HYPOGLYCEMIA STUDY GROUP: Risk of hypoglycemia in types 1 and 2 diabetes: effects of treatment modalities and their duration. *Diabetologia.*2007;50:1140-1147.

ZIB I, RASKIN P: Novelinsulin analogues and its mitogenic potencial. *Diabetes Obes.Metab.*2006; 8:611-620.

ZIEGLER AG, SCHMID S, HUBER D, et al.: Early infant feeding and risk of developing type 1 diabetes-associated autoantibodies. *JAMA*; 2003; 290: 1721-1728.

Hipogluemia

CRYER PE, DAVIS SN, SHANOON H: Hypoglycemia in Diabetes. *Diabetes Care.*2003; 26:1902-1912.

CRYER PE: Diverse causes of hypoglycemia associated autonomic failure in diabetes. *NEJM.*2004; 350:2272-2279.

Treball elaborat el Julio del 2008

Dr. Pavia Sesma

Servei D'Endocrinologia de l'Hospital de Nens de Barcelona

Sra. Sonia López

Infermera. Educadora diabetològica

Servei d'Endocrinologia de l' Hospital de Nens de Barcelona